



QUALITA' E CORRISPONDENZE							
	EN	AFNOR	DIN	UNI	UNE	AISI	NORMA
Acciai per uso generale							
	S 235 JR	E 24-2	St 37-2	Fe 360	-	A 252	EN 10025
	S 355 J2	E 36-3	St 52-3	Fe 510D	-	-	EN 10025
	E 355	TU 52 B	St 52-0	Fe 510	-	-	
	-	-	-	-	-	A 105	ASTM
	-	-	-	-	-	A350LF 2	ASTM
	EN	AFNOR	DIN	UNI	UNE	AISI	NORMA
Acciai da bonifica							
	C 40	XC 42	Ck 40	C 40	F - 1141	1040	EN 10083
	C 45	XC 48	Ck 45	C 45	F - 1140	1045	EN 10083
	42 CrMo 4	42 CD 4	42 CrMo 4	42 CrMo 4	F - 1252	4140	EN 10083
	39NiCrMo3	40 NCD 3	36 CrNiMo 4	39 NiCrMo 3	F - 1282	9840	EN 10083
	EN	AFNOR	DIN	UNI	UNE	AISI	NORMA
Acciai da cementazione							
	16 MnCr 5	16 MC 5	16 MnCr 5	16 MnCr 5	F - 1516	5115	EN 10084
	20 MnCr 5	20 MC 5	20 MnCr 5	20 MnCr 5		5120	EN 10084
	20 NiCrMo 2-2	20 NCD 2	21 NiCrMo 2	20 NiCrMo 2	F - 1522	8620	EN 10084
	16 NiCr 4	16 NC 4	15 CrNi 6	16 CrNi 4	F - 1581	3215	EN 10084
		18 NCD 6		18NiCrMo5		4317	UNI 7846
	14NiCrMo13-4	16NCD13		16 NiCrMo 12		9314	UNI 7846
	17 NiCrMo 6-4		17 NiCrMo 64		-	-	EN 10084
	EN	AFNOR	DIN	UNI	UNE	AISI	NORMA
Acciai per cuscinetti							
	102 Cr 6	100 C 6	100 Cr 6	100 Cr 6	F - 1310	-	EN 4957
	EN	AFNOR	DIN	UNI	UNE	AISI	NORMA
Acciai per molle							
	46 Si 7	46 S 7	46 Si 7	46 Si 7	-	-	EN 10089
	56 Si 7	55 S 7	55 Si 7	55 Si 7	-	-	EN 10089
	EN	AFNOR	DIN	UNI	UNE	AISI	NORMA
Acciai automatici							
	11 SMn 30	S 250	9 SMn 28	11 SMn 30	F - 2111	1214	EN 10087
	11 SMnPb 30	S 250 Pb	9 SMnPb 28	11 SMnPb 30	F - 2112	12L14	EN 10087
	11 SMn 37	S 300	9 SMn 36	11 SMn 37	F - 2113	-	EN 10087
	11 SMnPb 37	S 300 Pb	9 SMnPb 36	11 SMnPb 37	F - 2114	-	EN 10087
	36 SMnPb 14	35MF6Pb	36 SMnPb14	36 SMnPb14	F - 2132		EN 10087
	EN	AFNOR	DIN	UNI	UNE	AISI	NORMA
Acciai inossidabili							
	X8CrNiS18-9	Z8CNF18-09	X10CrNiS18-9	X10CrNiS18-09	F - 310.C	303	EN 10088
	X5CrNi18-10	Z5CN18-09	X5CrNi18-10	X5CrNi18-10	F - 3504	304(L)	EN 10088
	X5CrNiMo17-12-2	Z7CND17-12-02	X5CrNiMo17-12-2	X5CrNiMo17 12	F - 3534	316(L)	EN 10088
	X12CrS13	Z11CF13	X12CrS13	X12CrS13	-	416	EN 10088
	X20Cr13	Z20C13	X20Cr13	X20Cr13	F - 3402	420	EN 10088
	X6Cr17	Z8C17	X6Cr17	X8Cr17		430	EN 10088
	X17CrNi16-2	Z15CN16-2	X17CrNi16-2	X17CrNi16-2	F - 3427	431	EN 10088